

**APPLICATION FOR PERMISSION TO CHANGE POINT OF
DIVERSION, MANNER OF USE AND PLACE OF USE OF THE
PUBLIC WATERS OF THE STATE OF NEVADA
HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office NOV 01 1996

Returned to applicant for correction _____

Corrected application filed _____

Map filed NOV 01 1996

The applicant **Allen G. and Brenda S. Nel**, hereby make application for permission to change the **Point of Diversion** of of water heretofore appropriated under **Permit 54666**

1. The source of water is **Underground**
2. The amount of water to be changed **0.312 CFS (126.54 Acre Feet/Year)**
3. The water to be used for **Quasi-Municipal**
4. The water heretofore permitted for **Quasi-Municipal**
5. The water is to be diverted at the following point within the **SE¼ NE¼** of **Section 28, T.19S., R.57E., MDM**, whence the **E¼** Corner of said **Section 28** bears **S. 4 59'40" E.** a distance of **1010.0 Feet**
6. The existing permitted point of diversion is located within the **SE¼ NE¼** of **Section 28, T.19S., R.57E., MDB&M**, or at a point whence the **E¼** Corner of said **Section 28** bears **S. 58 20'35" E.** a distance of **1223 Feet**.
7. Proposed place of use is within **Portions of the S½ NE¼, the NW¼ SE¼ (Portions), and the NE¼ SW¼ (Portions) of Section 28, T.19S., R.57E., MDB&M.**
8. Existing place of use **Same as Proposed**
9. Use will be from **January 1 to December 31** of each year.
10. Use was permitted from **January 1 to December 31** of each year.
11. Description of proposed works **a drilled/cased well with pump, motor and meter at the well head, with storage tank, pressure system, pipelines/valves to the places of use.**
12. Estimated cost of works **\$250,000**
13. Estimated time required to construct works **1 Year**
14. Estimated time required to complete the application of water to beneficial use **4 Years**
15. Remarks: **An Exploratory Well has been drilled on the property. Sufficient water source was found at this location. Upon receipt of the new Permit, the Permittee will withdraw the temporary application No. 62096T. The water from this permit will be used for fire and domestic use at a proposed hotel and shops and a Golf Course. Water from this permit will be commingled with the water transferred under the application to change Permit 54667.**

By **s/James Anspach, P.E.**
State W/R Surveyor No. 563
9708 Sandmist Avenue
Las Vegas, NV 89134

Compared cms/bk cl/cms

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion of the waters of an underground source as heretofore granted under Permit 54666 is issued subject to the terms and conditions imposed in said Permit 54666 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The total combined duty of water under Permits 54667, 62097-T and 62556 shall not exceed 153.54 acre-feet annually.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The issuance of Permit 62556 expires Permit 62096-T.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.312 cubic feet per second, but not to exceed 126.54 acre-feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before:

April 14, 1998

Proof of completion of work shall be filed before:

May 14, 1998

Application of water to beneficial use shall be filed on or before:

April 14, 2000

Proof of the application of water to beneficial use shall be filed on or before:

May 14, 2000


Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.,
State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 21st day of April, A.D. 1997


State Engineer

Completion of work filed DEC 31 1997

Proof of beneficial use filed _____

Cultural map filed _____

Certificate No. _____ Issued _____